

OFF-ROAD
2016
CATALOG

WWW.VISIONX-EUROPE.COM
INFO@VISIONX-EUROPE.COM

4X4

ATV/UTV

OFF-ROAD

ON-ROAD

MOTOR BIKE

AUTOMOTIVE





VISION X LIGHTING

WHAT WE'RE MADE OF



Design, Manufacture and Deliver
THE ULTIMATE LIGHTING SOLUTION.

Worldwide Facilities


Vision X Lighting operates state-of-the-art facilities. Our factory has received multiple awards for environmental sustainability as well as certifications for meeting ISO certifications of 9001 and 14001. At Vision X we ensure that both the products we deliver and the workers who manufacture the products are safe and up to standard.



VISION X EUROPE - BRUSSELS, BELGIUM
European Market
Development
European Distribution
Easy Stock Acces for European Market



VISION X USA - SEATTLE, USA
Global Sales and Marketing
Woldwide Distribution
Product Design
Engineering



VISION X ASIA - SEOUL, S. KOREA
Product Development
Product Engineering
Manufacturing
Testing



AUTOMOTIVE / OFFROAD

CONTENTS



LED HEADLIGHTS	
Vortex	10
LED LIGHTS	
Cannon Series	12
Transporter Series	16
UMX Series	18
DURA Series	20
LED POD LIGHTS	
Optimus Series	22
Solo POD Series	26
LED LIGHT BARS	
Horizon Series	28
XPR - XPI Series	30
Xmitter Series	32
LPX Series	33
VEHICLE SPECIFIC KITS	
Ford Raptor/F-Series	34
Jeep JK	35
SPECIALTY LED LIGHTING	
UF32	36
Strip Light	36
HID XTREME & HALOGEN	
HID XP	37
Halogen Light	37
Halogen Headlight Bulbs	38
ACCESSORIES	
Polycarbonate Light Covers	40
Accent Lighting	42
Mounting / Parts	44










VISION X LIGHTING

HIGH QUALITY GUARANTEED



Here at Vision X, we pride ourselves on raising the standards for the quality and durability of our lights, assuring a long lifespan and reliable illumination for years to come. In the US we offer a Lifetime Warranty on many of our products for Consumer use and a 3 year warranty on an assortment of our Commercial use products. Ask your local dealer about the provided warranty available for your products.

High Level Certifications

IEC 62471	Photo Biological Ensures that light output has safe levels of UV exposure for both skin and eyes.		E-mark European Regulatory certification for on highway use.
RoHS	RoHS Ensures no use of restricted hazardous materials in products such as lead, mercury, cadmium, PBB, PBDE, and Phthalate.		ADR 13/00 Products which are in compliance with the Australian Design Rules (ADR).
	DOT US Department of Transportation certified for on road use.	IP-69K	IP Rating Ingress Protection rates protection against outside elements. First number is solids, second is liquids.
	UL UL Certification is recognized around the world as a way to ensure standards.		CE CE is a mandatory conformity mark for products in the European Economic Area.
	ATEX 95 (94/9/EC) The APEX 95 certification is given to electronic equipment that is resistant to flame and explosion.		EMC EMC and EMI certifies that a product does not interfere with other electrical products. This includes CISPR 25 Certifications

VISION X LIGHTING

ONLY THE HIGHEST QUALITY

Product Testing



Consumption

All products are put on a digital power meter to test that it is consuming the correct amount of power, checking for any electrical faults.




EMI

Products are tested in a sealed chamber to ensure that they don't introduce RF noise into electronics/radios.



Submersion/Aging

Once products are assembled every product is run through a submersion (water dunk test), then placed onto an aging rack and powered up for 30 minutes to ensure proper operation.



Thermal Impact Rapid Temperature Change

Products are placed in a -40°C chamber for 30 minutes, and then placed in a 80°C chamber for an additional 30 minutes. Products are then run for 72 hours to ensure full operational status.



Photometric Isolux Beam Pattern

Lights are tested in the Goniophotometer to model the beam pattern and depict the overall light output.



High Temperature & High Humidity Operational

Products are placed in a 60°C, 94% humidity chamber and left operational for 72 hours. Afterwards, products are inspected for moisture, water drops, damaged LEDs, flickering LEDs, and more.



Ingress High Pressure IP69K

Products are sprayed from close distances with 80~100 BAR water pressure to verify the Ingress Protection rating, ensuring they are sealed properly.



Vibration 15.6 G rms Rating

Products are placed on the vibration shock table with a vibration range of 25.6G for 4 hours to test that they can withstand the rated vibration standard. Products tested at 60 G rms are performed off-site.




Long Term Durability

Products are then switched on and off 20,000 times repeatedly to ensure that they remain functional after all testing.



VISION X LIGHTING

LED, HID, HALOGEN TECHNOLOGY



Lighting-Emitting Diode (LED)

Vision X offers a variety of LEDs in different color temperatures based on applications. LED Lights do not use a bulb, making them much more durable and require less energy.

INTENSITY



AMP DRAW



LUMENS
PER WATT



High Intensity Discharge (HID)

Vision X HID Lighting runs at a 5000k temperature for a super white beam color. HID lights require a bulb, starter and ballast to operate. They have a higher output per wattage than Halogen bulbs.

INTENSITY



AMP DRAW



LUMENS
PER WATT



Halogen

Vision X offers a number of different Halogen Lighting options. The Tungsten-Halogen series uses an oversized globe and specially engineered filament to enhance light output. Vision X offers many headlight replacements.

INTENSITY



AMP DRAW




LUMENS
PER WATT



VISION X LIGHTING


LIGHTING EXPLAINED

BEAM PATTERNS EXPLAINED




10°/20° Narrow Beam

The spot beam pattern is used primarily as a driving light. The narrow beam creates a focal point accompanied by a "halo effect" which adds peripheral lighting. Best for high speed travel requiring distance.




40° Wide Beam

The wide beam pattern is the intermediate beam well suited as a multi-purpose light. This beam pattern is recommended as a driving beam at lower speeds when you need more peripheral lighting.




60°/90° Extra Wide Beam

The extra wide beam pattern is typically used as backup and area lighting and for slow-speed applications. Please note that 60°/90° beam is not listed on each product page, but is available in most products.



30°/65° Elliptical Beam

The elliptical beam is a specialty beam pattern that is designed for driving with oncoming traffic. The beam itself is 30° tall and 65° wide, good for all speeds. Ideal for use in fog or heavy particulate conditions.



10° Narrow Beam

20° Narrow Beam

40° Wide Beam

60° Extra Wide

90° Extra Wide

LIGHTING TERMS EXPLAINED

Lumen

Lumens measure the overall output of a light source. Raw Lumens account for the rated output of the LED from the source. By contrast, the Effective Lumens rating accounts for thermal, optical, and electrical losses which reduce total output.


Lux

Lux measures the amount of light per square meter. Unlike lumens which measures light at the source, lux is measured at a specific distance. This helps better determine whether those effective lumens are lighting up the environment with the necessary light.

Measuring Lux

On Vision X lux charts, the different colors within a light's beam on the lux chart correlates to a different lux level at that distance from the source, according to the colors shown below.

Lux Chart



100.00 lux
10.00 lux
1.000 lux

75.00 lux
5.000 lux
.5000 lux

50.00 lux
20.0 lux

25.00 lux
1.500 lux



TAKE CONTROL OF YOUR LIGHTING

INTRODUCING BORG TECHNOLOGY FROM VISION X



Available on the
App Store

ST
life.augmented

ITEM #: XIL-PXB36M Shown
PART #: 9893266

BLUETOOTH CONNECTION FOR PRIME DRIVE LIGHTS

**THE NEXT STEP IN LED
LIGHTING IS ONE TAP
AWAY.**



PATENT PENDING

ABOUT THE BORG

Vision X is constantly leading the LED Lighting industry by taking the "next-step" in technology and products. The Borg is just that. A simple adaption for any Vision X Light that is equipped with Prime Drive Technology can be transformed from a simple on/off product, to an experience in itself.

Everything from strobing intervals to light intensity can be controlled by your smartphone via blue-tooth connection. Additionally, you'll have the power to see valuable data relayed from your LED Light such as humidity, temperature, voltage, RSSI, and elevation. Even further, you can track your g-force level and acceleration with only a few taps.

Unlock the full potential of your Vision X LED by equipping it with Borg!

KEY FEATURES

- Take control of your Vision X Prime Drive Lights via bluetooth connection
- Monitor humidity, temperature, voltage, and other valuable data
- Remotely set strobing and power levels via mobile device
- Currently available for Apple devices
- Simple On-Off Power Function
- Real Time Two-Way Data
- 32 Bit Processing



ITEM #: XIL-BORGPC Shown
PART #: 9893273

CONNECTING THE BORG

The Borg is sold as an accessory for Vision X LED Lights that are equipped with our exclusive Prime Drive Technology. Simply attach the Borg to the same power source as the LED Light and then connect the output wire to the Prime Drive wire on the back of the fixture.

We've also created a special 26 inch Xmitter Prime Xtreme (36 LED) Light Bar with the Borg pre-installed in the center of the bar. Simply connect the bar to a power source and the Borg will become operational. Enjoy the powerful output of the Xmitter Prime Xtreme series while also having access to Borg features in the palm of your hand. Item #: XIL-PXB36M - Part #: 9893266

EXAMPLE APPLICATIONS

The Borg is the perfect accessory for both Industrial and Automotive/Offroad applications. With so many additional features and information unlocked in the app, there's bound to be something for everyone.

Borg is a powerful ally in both industries thanks to the ability to accurately display information such as humidity and internal temperature in real-time. The proximity alert function turns the LED Light on or off depending on the range of the smartphone from the light. Imagine your LED Light turning on as you approach your vehicle or building. The potential of Borg Technology is unlimited with software updates and enhancements easily downloadable.



VORTEX LED HEADLIGHT

LED HEADLIGHT REPLACEMENT




XIL-7REL Shown
Sold Individually

EMARK APPROVED LED HEADLIGHT WITH BRIGHT LED HALO RING
 Multiple LEDs Fill In Roadway | Polycarbonate Lens | E-Mark & ADR Models Available

BEAM MODES
 Halo, Low, High
RAW LUMENS
 3,440 lm (ea)

WEIGHT
 2.20 lb / 1.00 kg
BULB TYPE
 Low: 13 Watt - High: 2x10 Watt

MEASUREMENTS
 6.96" x 6.96" x 3.85"
 177mm x 177mm x 97.8mm



ITEM #	COLOR	RAW LUMENS HIGH BEAM	RAW LUMENS LOW BEAM
XIL-7REL	CHROME	1,720 lm	1,050 lm
XIL-7RELKIT	CHROME	3,440 lm	2,100 lm
XIL-7RELB	BLACK CHROME	1,720 lm	1,050 lm
XIL-RELBKIT	BLACK CHROME	3,440 lm	2,100 lm

LED COMPARISON

LOW BEAM FACTORY HEADLIGHT

HIGH BEAM FACTORY HEADLIGHT

LED LOW BEAM

LED HIGH BEAM

ABOUT THE VORTEX

The EMARK Approved Vortex LED Headlight leads the LED Headlight industry in both style and performance. With an integrated LED Halo Ring, the Vortex is sure to turn heads while also delivering a dramatically improved night driving experience over factory headlights.

The Vortex is currently available in 7" Round and 5.75" Round with more models on the way, each available with a Polished Chrome finish or a Black Chrome finish.

ADR and E-MARK Approved models are available for those who live in Australia and Europe. We spent the time to get the certification and pass all regulations so that you can enjoy your Vortex LED Headlight regardless of location.

Multiple direct plug-and-play accessories are available that help give you the most out of your Vortex LED Headlight.



HALO / HIGH / LOW

The Vortex has three beam modes that each serve a different purpose. The Halo works as a daytime running light while the Low and High beams handle the job of providing you with light output.



MULTIPLE LEDS FILL IN ROADWAY

Vision X integrated two LEDs with flood optics into the sides of the fixture in order to provide ample peripheral lighting by filling in the sides of the roadway in between the vehicle and the low beam.



LONG RANGE LED CANNON

22 cm
1000m Usable Light
90 Watt LED

17 cm
768m Usable Light
50 Watt LED

12 cm
305m Usable Light
25 Watt LED

INDUSTRY FIRST
90 WATT
USABLE
3280'
1000 METERS
LIGHT
90 WATT
SINGLE SOURCE LED LIGHT

LUMINUS
MADE IN THE USA

LED LIGHT CANNONS

KEY FEATURES

- Snap On Covers Change Beam Patterns
- 10° Beam Provides Superior Distance
- 25/50/90 Watt Luminus Premium LED
- Ultra Lightweight Hybrid Construction
- Ideal for Bumper or A Pillar Mounting
- Single Bolt Mounting



CANNON KITS:
(2) 10° NARROW BEAM
LED LIGHT CANNONS WITH
WIRING HARNESS



POLYCARBONATE LIGHT COVERS

Vision X polycarbonate translucent covers not only protect your light, but they also improving vision in dust, fog or snow. Another benefit of adding a cover is the capability to change your beam pattern. Each cover is finished with a glow in the dark printed "X" for a unique look at night when the lights are off.

COLORED COVERS



RED
Reduces light temperature and glare back in order to enhance penetration in dust and air particulate.



BLUE
Increases lighting distance when used in snow conditions by reflecting the blue light off the snow.



YELLOW
Battles fog conditions by reducing the amount of blue light.



CLEAR
Unbreakable, dust resistant protection to protect the light from debris and particulate.



ITEM #: PCV-8500YWF & PCV-8500B Shown
PART #: 9890142 / 4003583

BEAM COVERS



EURO
Flat, horizontal beam designed to light peripherals while maintaining distance.



WIDE FLOOD
Low-speed, horizontal flood beam gives wide blanket of light.



SPOT
Protection from debris and particulate. Maintains original beam pattern.



FLOOD
Low-speed, vertical trail flood beam lights the road to the tree tops.



ELLIPTICAL
Maintains distance and spread while limiting periphery lighting for driving in traffic.



BLACK OUT
Street legal, black out protection.



4.5" CANNON

ITEM #	PART #	COLOR	BEAM
PCV-CP1	9151151	Clear	Spot
PCV-CP1B	9157184	Blue	Spot
PCV-CP1Y	9157726	Yellow	Spot
PCV-CP1R	9162492	Red	Spot
PCV-CP1EU	9151243	Clear	Euro
PCV-CP1BEU	9157276	Blue	Euro
PCV-CP1YEU	9157900	Yellow	Euro
PCV-CP1REU	9157542	Red	Euro
PCV-CP1FL	9151335	Clear	Flood
PCV-CP1BFL	9157368	Blue	Flood
PCV-CP1YFL	9157900	Yellow	Flood
PCV-CP1RFL	9157634	Red	Flood
PCV-CP1WF	9890562	Clear	Wide Flood
PCV-CP1BWF	9890654	Blue	Wide Flood
PCV-CP1YWF	9890586	Yellow	Wide Flood
PCV-CP1RWF	9890883	Red	Wide Flood
PCV-CP1EL	9890661	Clear	Elliptical
PCV-CP1BEL	9890647	Blue	Elliptical
PCV-CP1YEL	9890579	Yellow	Elliptical
PCV-CP1REL	9890678	Red	Elliptical
PCV-CP1BL	9157450	Black	Protective

6.7" CANNON

ITEM #	PART #	COLOR	BEAM
PCV-6500	4003248	Clear	Spot*
PCV-6500B	4003569	Blue	Spot*
PCV-6500Y	4002784	Yellow	Spot*
PCV-6500R	4004689	Red	Spot*
PCV-6500EU	9888453	Clear	Euro
PCV-6500BEU	9888460	Blue	Euro
PCV-6500YEU	9888484	Yellow	Euro
PCV-6500REU	9888477	Red	Euro
PCV-6500FL	9888491	Clear	Flood
PCV-6500BFL	9888507	Blue	Flood
PCV-6500YFL	9888521	Yellow	Flood
PCV-6500RFL	9888514	Red	Flood
PCV-6500WF	9888771	Clear	Wide Flood
PCV-6500BWF	9889788	Blue	Wide Flood
PCV-6500YWF	9889801	Yellow	Wide Flood
PCV-6500RWF	9889795	Red	Wide Flood
PCV-6500EL	9890616	Clear	Elliptical
PCV-6500BEL	9890609	Blue	Elliptical
PCV-6500YEL	9890630	Yellow	Elliptical
PCV-6500REL	9890623	Red	Elliptical
PCV-6500BL	9160245	Black	Protective*

* Also compatible with Transporter and HID-6500

8.7" CANNON

ITEM #	PART #	COLOR	BEAM
PCV-8500	4003255	Clear	Spot*
PCV-8500B	4003583	Blue	Spot*
PCV-8500Y	4002791	Yellow	Spot*
PCV-8500R	4003576	Red	Spot*
PCV-8500EU	9890128	Clear	Euro
PCV-8500BEU	9890098	Blue	Euro
PCV-8500YEU	9890470	Yellow	Euro
PCV-8500REU	9890432	Red	Euro
PCV-8500FL	9890165	Clear	Flood
PCV-8500BFL	9890104	Blue	Flood
PCV-8500YFL	9890487	Yellow	Flood
PCV-8500RFL	9890449	Red	Flood
PCV-8500WF	9890463	Clear	Wide Flood
PCV-8500BWF	9890111	Blue	Wide Flood
PCV-8500YWF	9890142	Yellow	Wide Flood
PCV-8500RWF	9890425	Red	Wide Flood
PCV-8500EL	9890081	Clear	Elliptical
PCV-8500BEL	9890869	Blue	Elliptical
PCV-8500YEL	9890159	Yellow	Elliptical
PCV-8500REL	9890425	Red	Elliptical
PCV-8500BL	9890876	Black	Protective*

* Also compatible with HID-8500



CANNON 8.7"



ITEM #: CTL-CPZ810 Shown
PART #: 9890852

90 WATT SINGLE SOURCE LED PRODUCES 3,280' OF USABLE LIGHT
Lightweight Hybrid Housing | Single Bolt Mounting | Snap-On Covers Change Beam Pattern

BEAM PATTERNS 10° RAW LUMENS 5,800 lm (ea)	KITS AVAILABLE Two Lights & Harness WATTAGE / AMP DRAW 90W / 7.5A	MEASUREMENTS 8.70" x 7.93" x 10.57" 220mm x 200mm x 268mm 10.36 lb / 4.7 kg
90 WATT L.E.D.S. Multi-Volt 9-32V DC INPUT HYBRID HOUSING IP-68 WATERPROOF COVERS AVAILABLE IRIS REFLECTOR 40° ~ +80°C OPERATION TEMP 50,000 HR LIFESPAN 15.6 G.		8.70" 7.93" 10.57"

ITEM #	PART #	QTY	BEAM
CTL-CPZ810	9890852	EA	10°
CTL-CPZ810KIT	9890074	KIT	10°



CANNON 6.7"



ITEM #: CTL-CPZ610 Shown
PART #: 9888533

50 WATT SINGLE SOURCE LED PRODUCES 2,500' OF USABLE LIGHT
Lightweight Hybrid Housing | Single Bolt Mounting | Snap-On Covers Change Beam Pattern

BEAM PATTERNS 10°, 20° RAW LUMENS 3,200 lm (ea)	KITS AVAILABLE Two Lights & Harness WATTAGE / AMP DRAW 50W / 4.17A	MEASUREMENTS 6.70" x 6.30" x 8.82" 170mm x 160mm x 224mm 5.51 lb / 2.5 kg
50 WATT L.E.D.S. Multi-Volt 9-32V DC INPUT HYBRID HOUSING IP-68 WATERPROOF COVERS AVAILABLE IRIS REFLECTOR E-MARK AVAILABLE 40° ~ +80°C OPERATION TEMP 50,000 HR LIFESPAN 15.6 G.		6.70" 6.30" 8.82"

ITEM #	PART #	QTY	BEAM
CTL-CPZ610	9888538	EA	10°
CTL-CPZ610KIT	9888545	KIT	10°
CTL-CPZ620	9891729	EA	20°
CTL-CPZ620KIT	9891743	KIT	20°
			E-MARK
			E-MARK

CANNON 4.5"



ITEM #: CTL-CPZ110 Shown
PART #: 9150970

25 WATT SINGLE SOURCE LED PRODUCES 1,000' OF USABLE LIGHT
Lightweight Hybrid Housing | Single Bolt Mounting | Snap-On Covers Change Beam Pattern

BEAM PATTERNS 10° RAW LUMENS 2,500 lm (ea)	KITS AVAILABLE Two Lights & Harness WATTAGE / AMP DRAW 25W / 2.08A	MEASUREMENTS 4.72" x 4.36" x 5.75" 120mm x 110.7mm x 146mm 2.02 lb / 920 g
25 WATT L.E.D.S. Multi-Volt 9-32V DC INPUT HYBRID HOUSING IP-68 WATERPROOF COVERS AVAILABLE IRIS REFLECTOR E-MARK AVAILABLE 40° ~ +80°C OPERATION TEMP 50,000 HR LIFESPAN 15.6 G.		4.72" 4.36" 5.75"

ITEM #	PART #	QTY	BEAM
CTL-CPZ110	9150970	EA	10°
CTL-CPZ110KIT	9151069	KIT	10°



TRANSPORTER
6.7" ROUND HIGH POWERED LED DRIVING LIGHT



9 LED



12 LED



18 LED



Available Cover Colors

Clear Covers
The clear polycarbonate cover provides additional protection from the elements and road debris.

Blue Covers
The blue polycarbonate cover optimizes the Transporter for driving on snow.

Yellow Covers
The yellow polycarbonate cover optimizes the Transporter for driving in heavy fog by removing the blue light waves to reduce glare back at the driver.

Red Covers
The red polycarbonate cover optimizes the Cannon for driving in heavy dust by penetrating particulate in the air.

Black Out Covers
The black out cover allows for street legal applications.

High Power LED for Trucking and Transport
The Transporter Series utilizes high powered 5 watt LEDs to provide intense light output for commercial applications. The Transporter Series is ideal for Trucking and Transport applications because the long 50,000 hour lifespan takes away unscheduled lighting of changing bulbs. With LED there is no voltage spike at startup, which reduces wear on associated components.

Increased Safety
Brighter conditions for operators ensure greater safety and reliability to ensure cargo makes it to its destination.

Standard Form Factor
Designed as a LED alternative for Halogen and HID lighting, the Transporter utilizes a standard form factor.

Channeled Heat Sink
Heat dissipation is critical to driving a LED to capacity and prolonging its lifespan. The Vision X engineering team designed the Transporter with an advanced channeled heat sink to keep the LEDs at optimal temperature for enhanced performance.

Polycarbonate Lens
Featuring a polycarbonate lens, the Transporter is protected from oncoming debris and specially sealed against dust and water. Lighter and stronger than glass, the polycarbonate lens ensures the light is protected and ready for the road.

Prime Drive with Thermal Management
Vision X has integrated Prime Drive electronic thermal management through Pulse Width Modulation to control internal heat to prolong the life of the LED.

TRANSPORTER 18



ITEM #: CTL-TPX1840 Shown
PART #: 9111193

ULTIMATE LED LIGHT SYSTEM FOR TRUCK AND TRANSPORT
Eighteen 5 Watt LEDs | Protective PC Covers Available | Trucking and Transport Ready

BEAM PATTERNS 10°, 40° RAW LUMENS 9,504 lm (ea)	WATTAGE 90W AMP DRAW 7.5A	MEASUREMENTS 6.71" x 7.19" x 4.57" 171mm x 182.5mm x 116mm 6.17 lb / 2.8 kg
5 WATT LED'S	Multi-Volt 11-65V DC INPUT	DC DIE-CAST HOUSING
IP-68 WATERPROOF	COVERS AVAILABLE	EMARK AVAILABLE
40° ~ +80°C OPERATION TEMP	50,000 HR LIFESPAN	15.6 G
4.57"	7.19"	4.57"

ITEM #	PART #	COLOR	BEAM
CTL-TPX1810	9111018	BLACK	10°
CTL-TPX1840	9111193	BLACK	40°

TRANSPORTER 12



ITEM #: CTL-TPX1210 Shown
PART #: 9110561

ULTIMATE LED LIGHT SYSTEM FOR TRUCK AND TRANSPORT
Twelve 5 Watt LEDs | Protective PC Covers Available | Trucking and Transport Ready

BEAM PATTERNS 10°, 40° RAW LUMENS 6,336 lm (ea)	WATTAGE 60W AMP DRAW 5A	MEASUREMENTS 6.71" x 7.19" x 4.57" 171mm x 182.5mm x 116mm 5.95 lb / 2.7 kg
5 WATT LED'S	Multi-Volt 11-65V DC INPUT	DC DIE-CAST HOUSING
IP-68 WATERPROOF	COVERS AVAILABLE	EMARK AVAILABLE
40° ~ +80°C OPERATION TEMP	50,000 HR LIFESPAN	15.6 G
6.71"	7.19"	4.57"

ITEM #	PART #	COLOR	BEAM
CTL-TPX1210	9110561	BLACK	10°
CTL-TPX1240	9110745	BLACK	40°

TRANSPORTER 9



ITEM #: CTL-TPX910 Shown
PART #: 9110110

ULTIMATE LED LIGHT SYSTEM FOR TRUCK AND TRANSPORT
Nine 5 Watt LEDs | Protective PC Covers Available | Trucking and Transport Ready

BEAM PATTERNS 10°, 40° RAW LUMENS 4,752 lm (ea)	WATTAGE 45W AMP DRAW 3.75A	MEASUREMENTS 6.71" x 7.19" x 4.57" 171mm x 182.5mm x 116mm 5.95 lb / 2.7 kg
5 WATT LED'S	Multi-Volt 11-65V DC INPUT	DC DIE-CAST HOUSING
IP-68 WATERPROOF	COVERS AVAILABLE	EMARK AVAILABLE
40° ~ +80°C OPERATION TEMP	50,000 HR LIFESPAN	15.6 G
6.71"	7.19"	4.57"

ITEM #	PART #	COLOR	BEAM
CTL-TPX910	9110110	BLACK	10°
CTL-TPX940	9110295	BLACK	40°



UTILITY MARKET XTREME SERIES

Serving as an OE upgrade for commercial and industrial applications, the Utility Market Series delivers increased output and spread over comparable halogen solutions. The Utility Market series is also used in a number of Vision X Vehicle Specific lighting upgrades.

UMX ROUND



ITEM #: CTL-UMX4010 Shown
PART #: 4004719

XTREME LIGHT OUTPUT OE UPGRADE FOR COMMERCIAL/INDUSTRIAL
Aluminum Housing | Swivel Mount and Handle Available | Halogen Replacement

BEAM PATTERNS
10°, 40°, 60°
RAW LUMENS
3,696 lm (ea)

WATTAGE
35W
AMP DRAW
3.8A

MEASUREMENTS
4.49" x 4.49" x 2.99"
114mm x 114mm x 79mm
2.65 lb / 1.2 kg



ITEM #	PART #	COLOR	BEAM
XIL-UMX4010	4004719	BLACK	10°
XIL-UMX4040	9118215	BLACK	40°
XIL-UMX4060	9118307	BLACK	60°

UMX SQUARE



ITEM #: CTL-UMX4460 Shown
PART #: 9118482

XTREME LIGHT OUTPUT OE UPGRADE FOR COMMERCIAL/INDUSTRIAL
Aluminum Housing | Swivel Mount and Handle Available | Halogen Replacement

BEAM PATTERNS
10°, 40°, 60°
RAW LUMENS
3,696 lm (ea)

WATTAGE
35W
AMP DRAW
3.8A

MEASUREMENTS
4.71" x 3.97" x 3.14"
119.56mm x 108.8mm x 80mm
2.43 lb / 1.1 kg



ITEM #	PART #	COLOR	BEAM
XIL-UMX4410	4004726	BLACK	10°
XIL-UMX4440	9118390	BLACK	40°
XIL-UMX4460	9118482	BLACK	60°



KEY FACTS

5 Watt Xtreme Lighting
The Duralux uses 5 Watt LEDs for the combination of the most distance and most intense light output.

Commercial Lighting
The Duralux was designed with fleet vehicles in mind. Reducing cost, reducing energy consumption, and boosting output at an attractive price.

High Output
Get more light output than a 100 watt halogen light while drawing less power and reducing wear on associated components.

Die-Cast Aluminum
Die-cast aluminum provides strength for commercial applications. Better protection for the light maintains longer lifespan and efficiency.

DURALUX SERIES

The DURA series provides an economy LED light for 100 Watt halogen replacement. With a super low amp draw, 5 watt LED driven to 90% efficiency and E-Mark approval on certain models, the DURA series is the perfect commercial, high-output light.

DURA 4

HIGH PERFORMANCE LED WORK LIGHT & VEHICLE LIGHT
Very Low Amp Draw | 100 Watt Halogen Comparable | Durable Housing




ITEM #: DURA-440 Shown
PART #: 9141619

NOW
IN
KITS!

BEAM PATTERNS
10°, 40°, 60°
RAW LUMENS
2,112 lm (ea)

KITS AVAILABLE
Two Lights & Harness
WATTAGE / AMP DRAW
20W / 1.6A

MEASUREMENTS
3.94" x 2.57" x 4.24"
100mm x 65.5mm x 107.5mm
1.50 lb / 0.68 kg



ITEM #	PART #	COLOR	BEAM
DURA-410	9891132	BLACK	10°
DURA-410KIT	9891187	BLACK	10°
DURA-440	9141619	BLACK	40°
DURA-460	9141527	BLACK	60°
DURA-E490	9888279	BLACK	90°

DURA 6

HIGH PERFORMANCE LED WORK LIGHT & VEHICLE LIGHT
Very Low Amp Draw | 150 Watt Halogen Comparable | Durable Housing




ITEM #: DURA-660 Shown
PART #: 9888385

NOW
IN
KITS!

BEAM PATTERNS
10°, 40°, 60°
RAW LUMENS
3,168 lm (ea)

KITS AVAILABLE
Two Lights & Harness
WATTAGE / AMP DRAW
30W / 2.5A

MEASUREMENTS
5.39" x 2.57" x 4.28"
136.7mm x 69mm x 106.5mm
2.10 lb / 0.95 kg



ITEM #	PART #	COLOR	BEAM
DURA-610	9891125	BLACK	10°
DURA-610KIT	9891309	BLACK	10°
DURA-640	9888378	BLACK	40°
DURA-660	9888385	BLACK	60°

OEM/AFTERMARKET REPLACEMENT LIGHTING FOR HALOGEN/HID
The Duralux Series gives more output than 100-Watt Halogen lights while drawing much less power and reducing wear on associated components. Additionally, the Duralux was designed with fleet vehicles in mind, reducing cost, energy consumption, and boosting output at an attractive price. Available in three different housing sizes and three different beam patterns, the Duralux Series is one of the most adaptive fixtures made by Vision X. The Die-Cast Aluminum housing combines durability with afford-ability for a wide variety of applications. For those with limited space, the 12-Watt DURA Mini (DURA-M460) produces 2,000 raw lumens while only drawing 1.0 amperage at 12V.

DURA MINI

HIGH PERFORMANCE LED WORK LIGHT & VEHICLE LIGHT
Very Low Amp Draw | 100 Watt Halogen Comparable | Durable Housing




ITEM #: DURA-M60 Shown
PART #: 9895499

BEAM PATTERNS
60°
RAW LUMENS
2,000 lm (ea)

VIBRATION RATING
15.6 G rms
WATTAGE / AMP DRAW
12W / 1.0A

MEASUREMENTS
2.75" x 3.62" x 1.94"
70mm x 92mm x 49.4mm
0.88 lb / 0.40 kg



ITEM #	PART #	COLOR	BEAM
DURA-M460	9895499	BLACK	60°



TWO LIGHT KITS



AVAILABLE DURALUX KITS
Currently, the Dura 6 LED and Dura 4 LED are available in two light kits with a dual wiring harness with 10°, 40°, or 60° optics at an affordable price.

FLUSH BRACKETS AVAILABLE



PROFESSIONAL MOUNTING SOLUTION
Extend the application range of the DURA with the addition of a Flush Mounting Bracket.
DURA-660FLUSH | 9893006
DURA-460FLUSH | 9892993

OPTIMUS POD LIGHTING

The Optimus Lighting Series produces ultimate distance for its size using IRIS Reflector Technology for up to 972' of usable light. Perfect for A-Pillar, bumper, back-up, and any other number of mounting locations, the Optimus Series features a compact housing equipped with 10 Watt LEDs.

ACCESSORIES



Easily adapt to any environment with the available polycarbonate covers which allow for changes in beam pattern and color with a snap.



XIL-OE1012JKV2OPR Shown

VEHICLE SPECIFIC KITS

Available on a number of vehicles, with vehicle specific bracketry and Optimus Series Lighting, lighting distance can be increased up to 7x over factory lamps.

OPTIMUS SERIES



OPTIMUS HALO



OPTIMUS HALO



ITEM #: XIL-OPRH115 Shown
PART #: 9891712

OPTIMUS HALO SERIES

Compact Housing | High Strength Trunnion Mount | Covers Available

BEAM PATTERNS
15°


RAW LUMENS
1,052 lm (ea)

KITS AVAILABLE
Two Lights & Harness

WATTAGE / AMP DRAW
25W / 2.08A

MEASUREMENTS
3.74" x 3.79" x 3.74"

95mm x 96.5mm x 95mm
1.53 lb / 0.69 kg



ITEM #	PART #	SHAPE	BEAM
XIL-OPRH115	9891712	Round	15°
XIL-OPRH115KIT	9891729	Round	15°

OPTIMUS IN ACTION



OPTIMUS DUAL



ITEM #: XIL-OP210 Shown
PART #: 9124605

UNIVERSAL LED DRIVING LIGHT PRODUCES ULTIMATE DISTANCE

Compact Housing | High Strength Trunnion Mount | 883' Usable Light

BEAM PATTERNS
10°, 20°, 60°



RAW LUMENS
2,104 lm (ea)

KITS AVAILABLE
Two Lights & Harness

WATTAGE / AMP DRAW
90W / 7.5A

MEASUREMENTS
5.83" x 4.80" x 3.57"

148mm x 122mm x 90.8mm
2.25 lb / 1.02 kg



ITEM #	PART #	COLOR	BEAM	ITEM #	PART #	COLOR	BEAM
XIL-OP210	9124605	BLACK	10°	XIL-OP220KIT	9137834	BLACK	20°
XIL-OP210	9125053	BLACK	10°	XIL-OP260	9136660	BLACK	60°
XIL-OP220	9139548	BLACK	20°	XIL-OP260KIT	9137742	BLACK	60°

OPTIMUS SINGLE



ITEM #: XIL-OP110 Shown
PART #: 9123882

UNIVERSAL LED DRIVING LIGHT PRODUCES ULTIMATE DISTANCE

Compact Housing | High Strength Trunnion Mount | 883' Usable Light

BEAM PATTERNS
10°, 20°, 60°


RAW LUMENS
1,052 lm (ea)

KITS AVAILABLE
Two Lights & Harness

WATTAGE / AMP DRAW
50W / 4.17A

MEASUREMENTS
2.99" x 3.79" x 3.14"

76mm x 96.5mm x 79.8mm
1.37 lb / 0.62 kg



ITEM #	PART #	COLOR	BEAM	ITEM #	PART #	COLOR	BEAM
XIL-OP110	9123882	BLACK	10°	XIL-OP120KIT	9138015	BLACK	20°
XIL-OP110KIT	9124421	BLACK	10°	XIL-OP160	9124063	BLACK	60°
XIL-OP120	9130002	BLACK	20°	XIL-OP160KIT	9137926	BLACK	60°



KEY FACTS

10 Watt LED
The Optimus features 10 Watt LEDs producing 860 lumens and consuming just 0.83 amps per LED for unmatched power per square inch.

Prime Drive Technology
With Prime Drive, Electronic Thermal Management maintains a safe operating temperature for the light without sacrificing output.

IRIS Technology
The Optimus achieves 7x the light output distance and intensity over a car headlight due to Vision X's proprietary IRIS Reflector Technology.

Compact Housing
The single round and square Optimus are 3" in size for use as fog light replacements or anywhere you need distance

OPTIMUS ROUND



ITEM #: XIL-OPR110 Shown
PART #: 9124421

UNIVERSAL LED DRIVING LIGHT PRODUCES ULTIMATE DISTANCE
Compact Housing | High Strength Trunnion Mount | Covers Available

BEAM PATTERNS
10°, 20°, 60°
RAW LUMENS
1,052 lm (ea)

KITS AVAILABLE
Two Lights & Harness
WATTAGE / AMP DRAW
90W / 7.5A

MEASUREMENTS
3.74" x 3.79" x 3.74"
95mm x 96.5mm x 95mm
1.53 lb / 0.69 kg



ITEM #	PART #	COLOR	BEAM	ITEM #	PART #	COLOR	BEAM
XIL-OPR110	9140896	BLACK	10°	XIL-OPR120KIT	9141343	BLACK	20°
XIL-OPR110KIT	9141251	BLACK	10°	XIL-OPR160	9141169	BLACK	60°
XIL-OPR120	9141077	BLACK	20°	XIL-OPR160KIT	9141435	BLACK	60°



OPTIMUS ROUND COVERS

New Snap On Covers




ITEM #	PART #	FITS	COLOR	BEAM
PCV-OPR1	9889528	XIL-OPR1*	Clear	Spot
PCV-OPR1B	9889559	XIL-OPR1*	Blue	Spot
PCV-OPR1Y	9889740	XIL-OPR1*	Yellow	Spot
PCV-OPR1R	9889719	XIL-OPR1*	Red	Spot
PCV-OPR1EU	9889535	XIL-OPR110	Clear	Euro
PCV-OPR1BEU	9889566	XIL-OPR110	Blue	Euro
PCV-OPR1YEU	9889757	XIL-OPR110	Yellow	Euro
PCV-OPR1REU	9889726	XIL-OPR110	Red	Euro
PCV-OPR1FL	9889542	XIL-OPR110	Clear	Flood
PCV-OPR1BFL	9889573	XIL-OPR110	Blue	Flood
PCV-OPR1YFL	9889764	XIL-OPR110	Yellow	Flood
PCV-OPR1RFL	9889733	XIL-OPR110	Red	Flood
PCV-OPR1WF	9890944	XIL-OPR110	Clear	Wide Flood
PCV-OPR1BWF	9890906	XIL-OPR110	Blue	Wide Flood
PCV-OPR1YWF	9890968	XIL-OPR110	Yellow	Wide Flood
PCV-OPR1RWF	9890937	XIL-OPR110	Red	Wide Flood
PCV-OPR1EL	9890913	XIL-OPR110	Clear	Elliptical
PCV-OPR1BEL	9890890	XIL-OPR110	Blue	Elliptical
PCV-OPR1YEL	9890951	XIL-OPR110	Yellow	Elliptical
PCV-OPR1REL	9890920	XIL-OPR110	Red	Elliptical
PCV-OPR1BL	9889580	XIL-OPR1*	Black	Protective

* Compatible with all beam patterns

Optimus Round PC Covers

New snap on covers to fit all existing Optimus round lights.
Available in Clear, Blue, Red, and Yellow Colors.
Beams: Spot (15 degree), Euro, Flood (Trail Flood), Wide Flood and Elliptical.



SOLO POD LIGHTING

Compact yet powerful, the Solo Pod lineup provide intense lighting from a small package. Packing the punch of a car headlight all within a 2" housing, the Solo and Solo Prime pods provide lighting for almost any application. Mounts are available for handlebars, helmets, handles and more.

ACCESSORIES



OMNI-LINK CONNECTORS



With the Omni-Link Connector, simply connect Solo Pods together to create unique lengths and configurations, as well as add numerous accessories for various applications.

SOLO PODS IN ACTION




SOLO PRIME POD



ITEM #: XIL-SP110 Shown
PART #: 9124421

COMPACT 10 WATT LED FOR UNIVERSAL APPLICATIONS
Electronic Thermal Management | Compact Housing | Mounting Accessories

BEAM PATTERNS 10°, 20°, 40° RAW LUMENS 1,052 lm (ea)	WATTAGE / AMP DRAW 10W / 0.83A DISTANCE TO 1 LUX 85.03 meters	MEASUREMENTS 2.16" x 2.36" x 3.33" 55mm x 60mm x 84.5mm 0.70 lb / 0.32 kg
---	--	--



ITEM #	PART #	COLOR	BEAM	ITEM #	PART #	COLOR	BEAM
XIL-SP110	4008830	BLACK	10°	XIL-SP110W	4008847	WHITE	10°
XIL-SP120	4009882	BLACK	20°	XIL-SP120W	4008854	WHITE	20°
XIL-SP140	4009899	BLACK	40°	XIL-SP140W	4008861	WHITE	40°


SOLO POD



ITEM #: XIL-S1110 Shown
PART #: 9888156

COMPACT 10 WATT LED FOR UNIVERSAL APPLICATIONS
Omni-Link Interlocking System | Compact Housing | Mounting Accessories

BEAM PATTERNS 10°, 30°, 60°, 30°x65° RAW LUMENS 1,052 lm (ea)	WATTAGE / AMP DRAW 10W / 0.83A DISTANCE TO 1 LUX 77.72 meters	MEASUREMENTS 2.16" x 3.33" x 2.36" 55mm x 84.5mm x 60mm 0.70 lb / 0.32 kg
--	--	--



ITEM #	PART #	COLOR	BEAM	ITEM #	PART #	COLOR	BEAM
XIL-S1110	9888156	BLACK	10°	XIL-S1110W	9888194	WHITE	10°
XIL-S1130	9888163	BLACK	30°	XIL-S1130W	9888200	WHITE	30°
XIL-S1160	9888170	BLACK	60°	XIL-S1160W	9888217	WHITE	60°
XIL-S11E3065	9888187	BLACK	30°X65°	XIL-S11E3065W	9888224	WHITE	30°X65°


MINI SOLO POD



ITEM #: XIL-MX110 Shown
PART #: 9117409

XIL-MX SERIES
Omni-Link Interlocking System | Ultra Compact Housing | Mounting Accessories

BEAM PATTERNS 10°, 40°, 60° RAW LUMENS 528 lm (ea)	WATTAGE / AMP DRAW 5W / 0.42A DISTANCE TO 1 LUX 59.43 meters	MEASUREMENTS 1.69" x 2.56" x 2.38" 42.92mm x 64.77mm x 59.94mm 0.40 lb / 0.18 kg
---	---	---



ITEM #	PART #	COLOR	BEAM
XIL-MX110	9113531	BLACK	10°
XIL-MX140	9113715	BLACK	40°
XIL-MX160	9113807	BLACK	60°



HORIZON PRIME EXTREME

The Horizon Bar was designed specifically with truck and transport applications in mind. With a 60 point locking trunnion mount, precision aiming is easily achieved. With a reduced profile and Prime Drive Technology, the HPX is perfect for long trucking routes, area lighting or precision aiming applications.

PRECISION ADJUSTABLE TRUNNION LIGHT BAR

- Single Stack Housing
- 60 Point Locking Trunnion Mount
- CTL-HPX910 Model is E-Mark Approved
- Electronic Thermal Management & Dimming
- Advanced Optics Enhance Distance and Depth

HEIGHT 2.36" / 60mm	WIDTH 3.11" / 79mm
WARRANTY 3 Years	



60 POINT LOCKING AIMING SYSTEM



ITEM #	PART #	LENGTH	BEAM
CTL-HPX910	9111469	13.86"/352.2MM	10°
CTL-HPX940	9119830	13.86"/352.2MM	40°
CTL-HPX1210	9111551	17.64"/448.2MM	10°
CTL-HPX1240	9119656	17.64"/448.2MM	40°
CTL-HPX1810	9111643	25.20"/640.2MM	10°
CTL-HPX1840	9119748	25.20"/640.2MM	40°

HORIZON IN ACTION



XPR 10 WATT

The XPR Bar is a more powerful version of the popular XPI bar, featuring IRIS Reflector Technology coupled with 10 Watt LEDs. With dual mounting options of both end-cap mounting and patented mounting feet, this affordable light bar is the ultimate lighting solution for baja racers and offroad enthusiasts alike.

IRIS REFLECTORS FOR ULTIMATE DISTANCE

- Dual Mounting Standard
- Plug And Play Harness Included
- Twice The Output Of XPI Light Bar
- IRIS Reflector Technology With 10 Watt LED
- New Lifespan-Boosting Heat Sink Technology

HEIGHT 3.15" / 80.01mm	WIDTH 3.19" / 81.02mm
WARRANTY 2 Years	
BEAM PATTERNS Straight, Tilted	

NEW PRICE



ITEM #	PART #	LENGTH	BEAM
XPR-6	9891613	11.50"/292.1MM	STRAIGHT
XPR-12M	9891637	24.00"/609.6MM	TILTED
XPR-15M	9891644	29.40"/746.76MM	TILTED
XPR-18M	9891651	34.70"/881.38MM	TILTED
XPR-21M	9891668	40.00"/1,016.00MM	TILTED
XPR-24M	9891675	45.30"/1,150.62MM	TILTED
XPR-27M	9891682	50.60"/1,285.24MM	TILTED

END CAP MOUNTS



ITEM #: XPI-EM Shown
PART #: 9892917

XPR IN ACTION




IRIS REFLECTORS FOR ULTIMATE DISTANCE

- Dual Mounting Standard
- Long Distance Projection
- Plug And Play Harness Included
- IRIS Reflector Technology With 5 Watt LED
- New Lifespan-Boosting Heat Sink Technology

HEIGHT 3.15" / 80.01mm	WIDTH 3.19" / 81.02mm
WARRANTY 2 Years	
BEAM PATTERNS Straight, Tilted	

XPI 5 WATT

The XPI Bar features IRIS Reflector Technology along with 5 watt LEDs for long-distance light projection. With dual mounting options of both end-cap mounting and patented mounting feet, this affordable light bar is the ultimate lighting solution for your truck, Jeep, UTV and any other application requiring long distance projection.



ITEM #	PART #	LENGTH	BEAM
XPI-6	9889399	11.50"/292.1MM	STRAIGHT
XPI-12M	9889405	24.00"/609.6MM	TILTED
XPI-15M	9889443	29.40"/746.76MM	TILTED
XPI-18M	9889412	34.70"/881.38MM	TILTED
XPI-21M	9890500	40.00"/1,016.00MM	TILTED
XPI-24M	9889429	45.30"/1,150.62MM	TILTED
XPI-27M	9889436	50.60"/1,285.24MM	TILTED

END CAP MOUNTS



ITEM #: XPI-EM Shown
PART #: 9892917

XPI IN ACTION







XMITTER PRIME XTREME SINGLE STACK

The Xmitter Prime Xtreme LED Bar packs the most advanced technology into a light bar for ultimate output and reliability. Featuring Prime Drive, controlling internal temperature and dimming, along with patented mounting technology and advanced 5 watt LEDs, the Xmitter Prime Xtreme outshines the competition.

BRIGHTEST LIGHT BAR ON THE MARKET

- Polycarbonate Lens
- Plug and Play Harness Included
- PWM Integrated Dimming Circuitry
- 90% Efficiency Next Generation LED
- Electronic Thermal Management & Dimming

HEIGHT	WIDTH
3.75" / 95.25mm	3.31" / 84.07mm
WARRANTY 3 Years	
BEAM PATTERNS 10°, 40°, Mixed	



ITEM #	PART #	LENGTH	BEAM	ITEM #	PART #	LENGTH	BEAM
XIL-PX610	9117409	4.70"/120mm	10°	XIL-PX3610	9117041	20.60"/525mm	10°
XIL-PX640	9117492	4.70"/120mm	40°	XIL-PX3640	9117133	20.60"/525mm	40°
XIL-PX1210	9115603	7.90"/201mm	10°	XIL-PX5410	9117225	30.20"/768mm	10°
XIL-PX1240	9115696	7.90"/201mm	40°	XIL-PX5440	9117317	30.20"/768mm	40°
XIL-PX1810	9115788	11.10"/282mm	10°	XIL-PX7210	9117584	39.80"/1,011mm	10°
XIL-PX1840	9115870	11.10"/282mm	40°	XIL-PX7240	9117676	39.80"/1,011mm	40°
XIL-PX3010	9116860	17.50"/444mm	10°	XIL-PX9010	9887036	49.37"/1,254mm	10°
XIL-PX3040	9116952	17.50"/444mm	40°	XIL-PX9040	9887043	49.37"/1,254mm	40°

PX SINGLE IN ACTION



END CAP MOUNTS



ITEM #: XIL-PECM Shown
PART #: 9889191



LOW PROFILE XMITTER PRIME XTREME

The Xmitter Low Profile Prime Xtreme LED Bar excels at mounting onto tight spots where normal bars won't cut it. By having a shallow mounting depth, the Low Profile Xmitter is able to provide powerful light output without being too bulky or distracting when mounted on your vehicle.

XTREME OUTPUT IN A COMPACT LIGHT BAR

- Sleek Low Profile Design
- 90% Efficiency Next Gen LED
- PMW Integrated Dimming Circuitry
- XIL-LPX910 Model is E-Mark Approved
- Electronic Thermal Management & Dimming

HEIGHT	WIDTH
2.06" x 52.40mm	2.45" / 62.30mm
WARRANTY 3 Years	
BEAM PATTERNS 10°, 40°, Mixed	



ITEM #	PART #	LENGTH	BEAM	ITEM #	PART #	LENGTH	BEAM
XIL-LPX310	4000759	4.65"/118MM	10°	XIL-LPX2410	9121901	31.11"/790MM	10°
XIL-LPX340	4000766	4.65"/118MM	40°	XIL-LPX2440	9132884	31.11"/790MM	40°
XIL-LPX610	9118758	8.43"/214MM	10°	XIL-LPX2710	9114972	34.89"/886MM	10°
XIL-LPX640	9120737	8.43"/214MM	40°	XIL-LPX2740	9115061	34.89"/886MM	40°
XIL-LPX910	4000773	12.21"/310MM	10°	XIL-LPX3310	9115153	42.44"/1,078MM	10°
XIL-LPX940	4000780	12.21"/310MM	40°	XIL-LPX3340	9115245	42.44"/1,078MM	40°
XIL-LPX1510	9114613	19.77"/502MM	10°	XIL-LPX3910	9128115	52.00"/1,270MM	10°
XIL-LPX1540	9114705	19.77"/502MM	40°	XIL-LPX3940	9132976	52.00"/1,270MM	40°

LPX IN ACTION



END CAP MOUNTS



ITEM #: XIL-LPECM Shown
PART #: 9888811



FORD RAPTOR KITS

FACTORY FOG LIGHT UPGRADE KIT

Lights, Mounts, Wiring | 7x Brighter Than Headlight | Direct Fit In Factory Opening



ITEM #: XIL-OE10FROP Shown
PART #: 9160870

ITEM #	PART #	FITS	KIT INCLUDES
XIL-OE10FR	9160870	07-09 Ford Raptor	Bracket, Factory Integration Harness
XIL-OE10FROP	9133515	10-13 Ford Raptor	Brackets, (4) XIL-OP110, Integrated Harness

BUMPER MOUNT FOR LIGHT BARS

Lights, Mounts, Wiring | Fits Directly into Factory Bumper | Add Up to 17,748 Lumens



ITEM #: XIL-OEB10FRX3610 Shown
PART #: 9887357

ITEM #	PART #	FITS	KIT INCLUDES
XIL-OEB10FR	9887340	10-14 Ford Raptor	Bracket*, Factory Integration Harness
XIL-OEB10FRPX3610	9887357	10-14 Ford Raptor	Brackets, (1) XIL-PX3610, Integrated Harness

RAPTOR KITS IN ACTION



JEEP JK KITS

Adding custom lighting takes any Jeep to the next level. Vision X makes easy to install custom kits for Jeep JK vehicles. All custom kits feature no-drilling requirements, and are easily installed in a matter of minutes. Each kit can be purchased with Vision X Light products, ultimately brightening your Jeep JK.



NEW PRODUCT

VORTEX 7" LED
HEADLIGHT
PAGE 11

Check out the Vortex 7" LED Headlight featuring an intense halo ring on page 6 and 7. This powerful headlight is the perfect addition to any customized Jeep.

FACTORY FOG LIGHT UPGRADE KIT

Lights, Mounts, Wiring | 7x Brighter Than Headlight | Direct Fit In Factory Bumper



ITEM #: XIL-OE1012JKV2OPR Shown
PART #: 9154756

ITEM #	PART #	FITS	KIT INCLUDES
XIL-OE0709JKV2	9145662	07-09 Jeep JK	Brackets, Connectors
XIL-OE1012JKV2	9154664	10-13 Jeep JK	Brackets, Connectors
XIL-OE0709JKV2OPR	9145754	07-09 Jeep JK	Brackets, (2) XIL-OPR110, Connectors
XIL-OE1012JKV2OPR	9154756	10-13 Jeep JK	Brackets, (2) XIL-OPR110, Connectors
XIL-OE13JKX	9891064	13-14 Jeep JK X	Brackets, Connectors

WINDSHIELD MOUNT FOR LIGHT BARS

No Drilling Necessary | Mount LED Light Bars Up to 52" | Updated Design



ITEM #: XIL-OEW0713JKV2 Shown
PART #: 9888422

ITEM #	PART #	FITS	KIT INCLUDES
XIL-OEW0713JKV2	9888422	07-14 Jeep JK	Brackets

HOOD MOUNT FOR LIGHT BARS

No Drilling Necessary | Fits up to a 20" LED Light Bar | Add Up to 17,748 Lumens



ITEM #: XIL-OEH0713PX36 Shown
PART #: 9891002

ITEM #	PART #	FITS	KIT INCLUDES
XIL-OEH0713PX36	9891002	07-14 Jeep JK	Brackets, (1) XIL-PX3610, Harness
XIL-OEH0713XPI12	9891019	07-14 Jeep JK	Brackets, (1) XPI-12M

A PILLAR LIGHT MOUNT

No Drilling Necessary | Perfect for Optimus or Cannon Series | Add Up to 5,000 Lumens



ITEM #: XIL-OEH0713JKCPZ1 Shown
PART #: 9888415

ITEM #	PART #	FITS	KIT INCLUDES
XIL-OEA0713JK	9888392	07-14 Jeep JK	Brackets
XIL-OEA0713JKOPR	9888408	07-14 Jeep JK	Brackets, (2) XIL-OPR110, Harness
XIL-OEA0713JKCPZ1	9888415	07-14 Jeep JK	Brackets, (2) CTL-CPZ110, Harness



SPECIALTY LED LIGHTING

When normal light just won't cut it, Vision X has a wide selection of special lighting for many different applications. Each specialty LED light was developed to run on a low amp draw, while still producing quality light. Be it underwater, in tight spots, or in areas where safety is key, Vision X lights will exceed the expectation.

UTILITY FLOOD



ITEM #: XIL-UF32 Shown
PART #: 4001824



120° FLOOD FOR UNIVERSAL APPLICATIONS

Wide Beam Pattern | Produces 500 lm with only 0.5A Amp Draw | Colored LEDs

BEAM PATTERNS Ultra Wide 120° RAW LUMENS 500 lm (ea)	COLORS White, Amber, Blue, Green, Red WATTAGE / AMP DRAW 6W / 0.5A	MEASUREMENTS 3.4" x 1.91" x 0.91" 86mm x 49mm x 23mm 0.41 lb / 0.19 kg

ITEM #	PART #	COLOR	BEAM
XIL-UF32	4001824	WHITE	120°
XIL-UF32A	9119298	AMBER	120°
XIL-UF32B	9121185	BLUE	120°
XIL-UF32G	9121277	GREEN	120°
XIL-UF32R	9121369	RED	120°

STRIP LIGHT



ITEM #: XIL-ST7.5 Shown
PART #: 9167626



ITEM #: XIL-ST712 Shown
PART #: 9141701

TOUCH ACTIVATED OR STANDARD COMMERCIAL DESIGN

Universal Application | Touch Activated Model Available | Compact Design

LENGTHS 7.4", 11.9" RAW LUMENS 141-328 lm (ea)	COLORS White WARRANTY 2 Years	HEIGHT 0.92"/23mm DEPTH 0.59"/15mm
---	--	---



ITEM #	PART #	MODE	LENGTH	ITEM #	PART #	MODE	LENGTH
XIL-ST7.5	9167626	TOUCH	7.4"/189 MM	XIL-SL7.5	9167534	STANDARD	7.4"/189 MM
XIL-ST12	9141701	TOUCH	11.9"/303 MM	XIL-SL12	9141794	STANDARD	11.9"/303 MM

6.7" HID XP



ITEM #: HID-6552XP Shown
PART #: 4000483

1000 METERS OF USABLE LIGHT

Polycarbonate Lens | Die-Cast Aluminum Housing | Internal Ballast & Starter

BEAM PATTERN Spot RAW LUMENS 5,000 lm (ea)	WATTAGE 50W WARRANTY 2 Years	MEASUREMENTS 6.7" x 7.00" x 6.30" 170mm x 178mm x 160mm 4.00 lb / 1.81 kg

ITEM #	PART #	BEAM
HID-6552XP	4000483	SPOT

HID XP IN ACTION



6" HALOGEN LIGHT



ITEM #: VX-8010C Shown
PART #: 4000414

6" HALOGEN BUMPER LIGHT KIT

Superwhite Bulb | Weatherproof Deutsch Connector | X Rock Guard

HOUSING Chrome RAW LUMENS 1,800 lm (ea)	WATTAGE 100W WARRANTY 2 Years	MEASUREMENTS 6.49" x 7.44" x 4.20" 165mm x 189mm x 107mm 1.50 lb / 0.68 kg
ITEM # VX-6010 VX-6010C VX-T9000B	PART # 4000414 4000421 4000537	HOUSING BLACK CHROME BLACK WITH ROCK GUARD

HALOGEN LIGHTS IN ACTION





PREMIUM WHITE HALOGEN BULBS

Premium Headlight Replacement Bulbs









VX-HH4 Shown

Premium Series Headlight Bulbs
Superwhite bulbs provide brighter output for further visibility and more natural light.

Vision X Premium White Vs. Factory Bulbs



ITEM #	VX-HH1	VX-HH3	VX-HH4	VX-HH7	VX-HH9	VX-HH11
PART # (Stock Code)	4001114	4001121	4001138	4001145	4001350	4001381
REPLACES	H1	H3	H4	H7	H9	H11
WATTAGE	100 Watt	100 Watt	90/100 Watt	100 Watt	100 Watt	80 Watt
APPLICATION	Headlight Bulb	Headlight Bulb	Headlight Bulb	Headlight Bulb	Fog Light Bulb	Headlight Bulb
FILAMENT	Single Filament	Single Filament	Dual Filament	Single Filament	Single Filament	Single Filament
						

SUPERWHITE HALOGEN BULBS

Superwhite Headlight Replacement Bulbs



VX-LH4 Shown

Superwhite Series Headlight Bulbs
Superwhite bulbs provide brighter output for further visibility and more natural light with direct factory replacement.

Vision X Superwhite Vs. Factory Bulbs



ITEM #	VX-LH3	VX-LH4	VX-LH7	VX-LH8	VX-LH9	VX-LH11
PART # (Stock Code)	4001022	4001039	4001046	4001367	4001343	4001190
REPLACES	H3	H4	H7	H8	H9	H11
WATTAGE	55 Watt	55/65 Watt	55 Watt	55 Watt	55 Watt	55 Watt
APPLICATION	Headlight Bulb	Headlight Bulb	Headlight Bulb	Headlight	Headlight Bulb	Headlight Bulb
FILAMENT	Single Filament	Dual Filament	Single Filament	Single Filament	Single Filament	Single Filament
						






POLYCARBONATE LIGHT COVERS

ABOUT POLYCARBONATE LIGHT COVERS

Vision X polycarbonate translucent covers not only protect your light, but they also improve vision in dust, fog, or snow. Another benefit of adding a cover is the capability to change your beam pattern. Each cover is finished with a glow in the dark printed "X" for a unique look at night when the lights are off.



SPOT
Spot covers maintain original lighting beam pattern while protecting the lens from harmful debris.



COMBO
Combo covers combine the distance of a spot cover with the peripheral illumination of a euro cover.



EURO *ELLIPTICAL
Euro covers illuminate peripherals while losing some distance effectiveness.
*Reduces left peripheral illumination for oncoming traffic.



FLOOD *WIDE FLOOD
Wide Flood covers illuminate a wide field of view in exchange for distance effectiveness.
* Flood covers is the vertical beam equivalent to flood covers.



VISION X LIGHTING ACCESSORIES

From snap-on polycarbonate covers to sure-grip handles for the Optimus series, Vision X provides a full line-up of accessories that can bring more applications to each light. In addition to optional attachments, Vision X also offers Accenting Lighting options such as rock lights, pro pod lighting, and strip lighting. With so many options, there's something for every driver.

POLYCARBONATE COVERS



CANNON COVERS
Turn your LED Light Cannon into 20 different lights with the addition of snap-on covers. Each color is ideal for different conditions, and can also change your beam pattern to produce the right beam for the right occasion.

*Additional Technical Data On Page 9



OPTIMUS ROUND COVERS
Vision X offers polycarbonate covers for the Optimus Round series. Each cover has the capability of changing the lights beam pattern as well as color, providing the right option for the right condition.

*Additional Technical Data On Page 21



LED LIGHT BAR COVERS
Available on all lengths of Low Profile Xtreme and Xmitter light bars, Vision X has snap-on amber and black covers. Amber polycarbonate covers are ideal in heavy dust conditions.

LOW PROFILE POLYCARBONATE COVERS

LED Bar Polycarbonate Covers

Low Profile Light Bar & Horizon PCV Covers

Polycarbonate covers help protect against rocks and oncoming debris as well as increased visibility in fog. With easy snap on installation.



PCV-LP12BL Shown



PCV-LP12Y Shown

ITEM #	PART #	FITS	COLOR	ITEM #	PART #	FITS	COLOR
PCV-LP3BL	9155296	3 LED Low Pro	Black Street Legal	PCV-LP3Y	9165103	3 LED Low Pro	Yellow
PCV-LP6BL	9155388	6 LED Low Pro	Black Street Legal	PCV-LP6Y	9165196	6 LED Low Pro	Yellow
PCV-LP9BL	9135946	9 LED Low Pro	Black Street Legal	PCV-LP9Y	9136035	9 LED Low Pro	Yellow
PCV-LP15BL	9155470	15 LED Low Pro	Black Street Legal	PCV-LP15Y	9164564	15 LED Low Pro	Yellow
PCV-LP18BL	9135762	18 LED Low Pro	Black Street Legal	PCV-LP18Y	9135854	18 LED Low Pro	Yellow
PCV-LP24BL	9155654	24 LED Low Pro	Black Street Legal	PCV-LP24Y	9135854	24 LED Low Pro	Yellow
PCV-LP33BL	9155838	33 LED Low Pro	Black Street Legal	PCV-LP33Y	9164922	33 LED Low Pro	Yellow
PCV-LP36BL	9155920	36 LED Low Pro	Black Street Legal	PCV-LP36Y	9165011	36 LED Low Pro	Yellow

XMITTER PRIME/XTREME POLYCARBONATE

LED Bar Polycarbonate Covers

Xmitter Prime Xtreme Light Bar PCV Covers
Polycarbonate covers help protect against rocks and oncoming debris as well as increased visibility in fog. With easy snap on installation.



PCV-P12BL Shown



PCV-P12Y Shown

ITEM #	PART #	FITS	COLOR	ITEM #	PART #	FITS	COLOR
PCV-P6BL	9156019	6 LED Xmitter Prime Xtreme	Black Street Legal	PCV-P6Y	9166186	6 LED Xmitter Prime Xtreme	Yellow
PCV-P12BL	9156101	12 LED Xmitter Prime Xtreme	Black Street Legal	PCV-P12Y	9165288	12 LED Xmitter Prime Xtreme	Yellow
PCV-P18BL	9156194	18 LED Xmitter Prime Xtreme	Black Street Legal	PCV-P18Y	9165370	18 LED Xmitter Prime Xtreme	Yellow
PCV-P30BL	9156378	30 LED Xmitter Prime Xtreme	Black Street Legal	PCV-P30Y	9165554	30 LED Xmitter Prime Xtreme	Yellow
PCV-P36BL	9156460	36 LED Xmitter Prime Xtreme	Black Street Legal	PCV-P36Y	9165646	36 LED Xmitter Prime Xtreme	Yellow
PCV-P54BL	9156736	54 LED Xmitter Prime Xtreme	Black Street Legal	PCV-P54Y	9165912	54 LED Xmitter Prime Xtreme	Yellow
PCV-P72BL	9157009	72 LED Xmitter Prime Xtreme	Black Street Legal	PCV-P72Y	9166278	72 LED Xmitter Prime Xtreme	Yellow
PCV-P90BL	9888064	90 LED Xmitter Prime Xtreme	Black Street Legal	PCV-P90Y	9887883	90 LED Xmitter Prime Xtreme	Yellow

TRUCK BED LED LIGHT

LED ACCENT LIGHTING FOR TRUCK BEDS

Multiple Applications | Easily Bendable Light Strip | No Glass Components

Truck Bed Lighting Kits
LED truck bed kit for even, bright light spread for added bed illumination.



ITEM #: HIL-TRUCK3W Shown
PART #: 4008892

COLOR	KIT INCLUDES	MEASUREMENTS
White	Mounting Tabs	36" - 48"
HOUSING	8 Zip Ties, 2 Power Taps	914mm - 1,219mm
Acrylic	1 Power Connect, 1 LED	

ITEM #	PART #	LENGTH	COLOR
HIL-TRUCK3W	4008885	3'/914mm	White
HIL-TRUCK4W	4008892	4'/1219mm	White

LED POD ACCENT LIGHTING

Vision X offers a diverse line of accent pod lighting. Easily attract attention to your vehicle with the wide variety of colors. Each durable pod weighs in at one pound and features a strong black housing. Ideal for professional grade applications and weekend enthusiasts alike.

SOLID-STATE KITS

Vision X Pro Pods are available in kits, featuring four universal pods each attached to a 10' cord. Pro Pods feature solid-state electronics, giving you a durable long lasting product.



REINFORCED MOUNTING

Vision X Pro Pod LEDs each feature four equally distant mounting holes, allowing the light to be securely fastened to a large variety of surfaces letting you put the light where it needs to be.

UNIVERSAL PRO PODS

LED LIGHTING FOR ANY APPLICATION

Impact Resistant Lens | Weatherproof Housing for All Conditions | 10' Cord



ITEM #: XIL-PDW Shown
PART #: 9136127

COLORS	HOUSING	MEASUREMENTS
Amber, Blue, Green, Red, White	Aluminum	1.76" Diameter
RAW LUMENS	WARRANTY	44.7mm Diameter
140 lm (ea)	2 Years	

ITEM #	PART #	COLOR	ITEM #	PART #	COLOR
XIL-PDA	9136219	Amber	XIL-PDR	9136486	Red
XIL-PDB	9136301	Blue	XIL-PDW	9136127	White
XIL-PDG	9136394	Green			

LED WORK LIGHTS & FLASHLIGHTS

Featuring rubberized sure grip handles, Vision X Flashlights are the perfect addition to anyone's tool belt. Durable, rugged, bright and long lasting, the Vision X Flashlights will constantly perform job after job. With special features such as an integrated hook, you'll be able to see more and work faster.

LED WORK LIGHT



XIL-WL

- 120° LED Beam for Illuminating Wide Areas
- Rubberized Sure Grip - No Roll Handle
- Shock Resistant - Drop Proof

ITEM #	PART #	COLOR
XIL-WL	4006553	BLACK

LED WORK LIGHT



HIL-WL

- Cigarette Lighter & Wall Charger Included
- Acrylic Body & Rubberized Handle
- Integrated Hook For Hanging

ITEM #	PART #	COLOR
HIL-WL	4005822	BLACK

LED FLASHLIGHT



TWO LED FLASHLIGHTS SET

Durable Aluminum Housing | Simple On-Off Operation | Cool To The Touch

ITEM #	PART #	COLOR
HIL-FLTB	4005815	Black
HIL-FLTC	4005808	Chrome

12V SMART CHARGER

BATTERY MAINTENANCE PULSE CHARGER

Push Button Dimmer | Can Charge Battery Via Cigarette Lighter | Spark & Polarity Protection



ITEM #: XPC-C120 Shown
PART #: 4009073

ITEM #	PART #	INPUT VOLT	OUTPUT VOLT	WEIGHT
XPC-C120	4009073	110V AC	12V DC	1.00 lb
XPC-120.220V	9130187	220V AC	12V DC	1.00 lb

BILLET TUBE MOUNTS



Various Billet Mounts Shown

360° TUBE FRAME MOUNT SYSTEM

Includes All Hardware | Machined Billet 6061 Aluminum | Sold in Pairs

ITEM #	PART #	DIAMETER	COLOR
XIL-B075	4006584	19mm Tubing	BLACK
XIL-B100	4006591	25mm Tubing	BLACK
XIL-B125	4006577	32mm Tubing	BLACK
XIL-B150	4006522	38mm Tubing	BLACK
XIL-B168	4006560	43mm Tubing	BLACK
XIL-B175	4006539	45mm Tubing	BLACK
XIL-B200	4006546	51mm Tubing	BLACK

SOLO FLUSH MOUNT



ITEM #: XIL-SFLUSHV2 Shown
PART #: 9887777

4" FLUSH MOUNT FOR SOLSTICE SOLO POD

Install Flush Into A 2.75" Hole | Ideal for Ceiling Mounts | Black Anodized Finish

ITEM #	PART #	DIAMETER	COLOR
XIL-SFLUSH	4000315	3.68"/93.47 mm	BLACK
XIL-SFLUSHV2	9887777	3.68"/93.47 mm	BLACK
XIL-SFLUSH.4	4008243	4.00"/101.6 mm	BLACK

MAGNETIC BASE



ITEM #: P-UMB Shown
PART #: 4006225
Lights Not Included

UNIVERSAL TEMPORARY LIGHT MOUNT

Install Flush Into A 2.75" Hole | Ideal for Ceiling Mounts | Holds up to 2.5 lb

ITEM #	PART #	PULL FORCE	INCLUDED
P-UMB.95	4009127	95 lb/43.09 kg	Magnet & Sleeve
P-UMB.65	4009110	65 lb/29.48 kg	Magnet & Sleeve
P-UMB	4006225	75 lb/34.02 kg	Magnet & Rubber Boot

END CAP MOUNTS



ITEM #: XIL-PECM Shown
PART #: 9889191

END CAP MOUNTS FOR LIGHT BARS

M10x1.5P 20mm Thread | Sold In Pairs | Fits Xmitter Family

ITEM #	PART #	FITS
XIL-LPECM	9888811	Xmitter Low Profile
XIL-PECM	9889191	Xmitter Prime
XIL-ECM	9888781	Xmitte



KEY FACTS

Designed for Prime Drive

The Prime Dimmer was engineered specifically for Vision X Prime drive to ensure ultimate compatibility.

50%-100% Light Control

The Prime Dimmer allows you to control your light output with a range of 50% to 100% light output for various applications

Push Button Dimmer

With the push of a button turn your Prime Drive light from 100% to 50% for easy operation and use.

Dial Knob Dimmer

The Dial Knob Dimmer allows greater control of output by allowing an output range of 50% - 100%, all with the turn or a knob.

Prime Drive Dimmer

Allows Prime Drive LED Lights and Bars dimming capability with either knob or dial dimmers.



ITEM #: XIL-PDIMMER Shown
PART #: 4009257

PRIME DIMMER

PUSH BUTTON OR DIAL DIMMER FOR PRIME LIGHTS

Push Button Dimmer | Designed for Prime Drive Lights | Dial Knob Dimmer

ITEM #	PART #	CONTROL	DIMMER RANGE	CORD LENGTH
XIL-PDIMMER	4009257	Dial Knob	50%-100%	5.50"/139.7mm
XIL-PDIMMERB	4009264	Button Knob	50% & 100%	5.50"/139.7mm



KEY FACTS

Long Life Battery
Power a Solo Solstice Pod for up to 13 hours with portable power packs that run off of high rate lithium-ion batteries.

Compact Design
Models such as the XPC-B22 are engineered for compact, light-weight form factors for take-anywhere performance.

Battery Packs
Turn Vision X Lighting portable. With a variety of options, battery packs make lighting on the go happen.

12V Devices
Vision X Battery Packs are designed for use with 12 volt devices, with which most Vision X products comply.

Easy to Charge
Charge time is between 3 and 4.5 hours with a power input of 110-220V AC for an easily rechargeable power source.

XPC-B65



XPC-B22



BATTERY PACKS



ITEM #: XPC-B30 Shown
PART #: 9130095

RECHARGEABLE POWER SOURCE FOR VISION X LIGHTS
Long Life Battery | Compatible with 12V Lights | Compact & Lightweight

ITEM #	PART #	MAX LOAD	CAPACITY	SOLO RUN TIME	WEIGHT
XPC-B22	4009080	5A	2.2Ah	3 Hours	1.15 lb
XPC-B30	9130095	5A	3.1Ah	5 Hours	1.15 lb
XPC-B65	4009097	8A	6.5Ah	6 Hours	1.00 lb
XPC-B86	4003392	10A	8.6Ah	13 Hours	2.00 lb

UNIVERSAL HARNESS



ITEM #: P-HARNESS.2XIL Shown
PART #: 4006201

UNIVERSAL WIRING HARNESS

30A 12V Relay Included | Heavy Duty Toggle Switch | Weatherproof Deutsch Connectors

ITEM #	PART #	CONNECTORS	APPLICATION	LENGTH
P-HARNESS.2XIL	4006201	Terminals	2 Light Harness	10'/3.05 m
P-HARNESS.XIL	4006195	Terminals	1 Light Harness	10'/3.05 m
P-HARNESS.HO	9888354	Terminals	High Amp 1 Light Harness	10'/3.05 m
P-DY2M1F	4006263	Deutsch DT Series	Y Adapter	10'/3.05 m
P-UCA	4006218	Cigarette Adapter	Cigarette Power Cord	10'/3.05 m



SOLO MOUNTS



Various Solo Mounts Shown

SOLO MOUNTS

Combine with Vision X Battery Packs | Portable On-The-Go Lighting | Extends Applications

ITEM #	PART #	USE	COLOR
XIL-SHANDLE	4002685	Pistol Grip Handle	Black
XIL-SHELMET	4002753	Helmets	Black
XIL-SHANDLEBAR	4002746	Bicycle Handlebars	Black
XIL-SCLAMP	9117942	Tube Mounting 0.75"-1.25"	Black
XIL-SCOMBO	4002739	Helmets + Handlebars	Black

MINI SOLO MOUNTS



Various Mini Solo Mounts Shown

MINI SOLO MOUNTS

Combine with Vision X Battery Packs | Portable On-The-Go Lighting | Extends Applications

ITEM #	PART #	USE	COLOR
XIL-MXHANDLEBAR	9145570	Bicycle Handlebars, etc.	Black
XIL-MXHELMET	9145488	Helmets	Black
XIL-MXCOMBO	9145396	Helmets + Handlebars	Black
XIL-MXCLAMP	9119205	Tube Mounting 0.75"-1.25"	Black

XPI
XMITTER PRIME IRIS



**SOLSTICE
PRIME**



MINI SOLO



DURALUX

VISIONX-EUROPE

AVENUE DE L'ARTISANAT 2B

1420 BRAINE-L'ALLEUD

+32(0)2 652 21 52

INFO@VISIONX-EUROPE.COM

WWW.VISIONX-EUROPE.COM